1. For each pair of integers (a, b), use the Euclidean algorithm to calculate their greatest common divisor $d = \gcd(a, b)$ and also to find integers x and y such that d = ax + by.

(a) a = 12, b = 44.(b) a = 2022, b = 20232.(d) a = 233, b = 144.

- 2. Decide whether each residue class has a multiplicative inverse modulo m. If so, find it, and if not, explain why not:
 - (a) $\overline{10}$ modulo 25.
 - (b) $\overline{11}$ modulo 25.
 - (c) $\overline{12}$ modulo 25.
- 3. Find the following orders of elements modulo m:
 - (a) The orders of 2 and 3 modulo 13.
 - (b) The orders of 2, 4, and 8 modulo 17.
 - (c) The orders of 2, 4, and 8 modulo 15.
- 4. Calculate the following things:
 - (a) The gcd and lcm of 256 and 520.
 - (b) The gcd and lcm of 921 and 177.
 - (c) The gcd and lcm of $2^3 3^2 5^4 7$ and $2^4 3^3 5^4 11$.
 - (d) The values of $\overline{4} + \overline{6}$, $\overline{4} \overline{6}$, and $\overline{4} \cdot \overline{6}$ modulo 8.
 - (e) The inverses of $\overline{4}$, $\overline{5}$, and $\overline{6}$ modulo 71.
 - (f) All units and all zero divisors modulo 14.
 - (g) The solution to $5n \equiv 120 \pmod{190}$.
 - (h) The solution to $6n \equiv 10 \pmod{100}$.
 - (i) All n with $n \equiv 4 \pmod{19}$ and $n \equiv 3 \pmod{20}$.

- (d) The orders of 3, 5, and 15 modulo 16.
- (e) The order of 5 modulo 22.
- (f) The orders of 2, 4, 8, 16, and 32 modulo 55.
- (i) All n with $n \equiv 2 \pmod{9}$ and $n \equiv 7 \pmod{14}$.
- (k) The remainder when 10! is divided by 11.
- (l) The remainder when 2^{47} is divided by 47.
- (m) The remainder when 6^{20} is divided by 25.
- (n) The values of $\varphi(121)$ and $\varphi(5^57^{10})$.
- (o) A primitive root modulo 7.
- (p) The value $0.1\overline{25}$ as a rational number.
- (q) The period of the repeating decimal of 7/11.

- 5. Briefly justify the following statements:
 - (a) The Caesar shift cipher is insecure.
 - (b) Rabin encryption is provably equivalent to factorization, but is not suitable for modern use.
 - (c) It is believed to be difficult to decrypt an arbitrary message encoded using RSA when the key size is large.
 - (d) A zero-knowledge protocol can be used to establish knowledge of secret information without revealing useful information about it.
 - (e) It is possible to establish that large integers are prime, or composite, very quickly.
 - (f) There is no known procedure for factoring large integers very quickly.

(c) a = 5567, b = 12445.

(d) $\overline{30}$ modulo 42. (e) $\overline{31}$ modulo 42.

(f) $\overline{32}$ modulo 42.

- 6. Prove the following (recall the Fibonacci numbers F_i are defined by $F_1 = F_2 = 1$ and $F_{n+1} = F_n + F_{n-1}$ for all $n \ge 2$):
 - (a) If F_n is the *n*th Fibonacci number, prove that $F_1 + F_3 + F_5 + \cdots + F_{2n+1} = F_{2n+2}$ for every positive integer *n*.
 - (b) Prove that $1 + \frac{1}{2} + \frac{1}{4} + \dots + \frac{1}{2^n} = 2 \frac{1}{2^n}$ for every positive integer n.
 - (c) Suppose p is a prime and a is an integer. If $p|a^2$, prove that p|a.
 - (d) Prove any two consecutive perfect squares (i.e., the integers k^2 and $(k+1)^2$) are relatively prime. [Hint: Use (b).]
 - (e) If u is a unit and x is a zero divisor in a commutative ring with 1, prove that ux is also a zero divisor.
 - (f) Show that 5 is a primitive root modulo 18.
 - (g) Suppose $b_1 = 3$ and $b_{n+1} = 2b_n n + 1$ for all $n \ge 1$. Prove that $b_n = 2^n + n$ for every positive integer n.
 - (h) Prove that $\frac{1}{1\cdot 2} + \frac{1}{2\cdot 3} + \frac{1}{3\cdot 4} + \dots + \frac{1}{n\cdot (n+1)} = \frac{n}{n+1}$ for every positive integer n.
 - (i) Show that 4^{240} is congruent to 16 modulo 239 and to 1 modulo 55. (Note 239 is prime.)
 - (j) Show that $a^4 \equiv 0$ or 1 (mod 5) for every integer a. Deduce that 2024 is not the sum of three fourth powers.
 - (k) Show that $a^3 a$ is divisible by 6 for every integer a.
 - (1) Suppose $d_1 = 2$, $d_2 = 4$, and for all $n \ge 3$, $d_n = d_{n-1} + 2d_{n-2}$. Prove that $d_n = 2^n$ for every positive integer n.
 - (m) If a and b are positive integers, prove that gcd(a, b) = lcm(a, b) if and only if a = b.
 - (n) Prove that 3 has order 10 modulo 61.
 - (o) Prove that 101 is the smallest prime divisor of 99! 1.
 - (p) If p is a prime, prove that gcd(n, n + p) > 1 if and only if p|n.
 - (q) Suppose $c_1 = c_2 = 2$, and for all $n \ge 3$, $c_n = c_{n-1}c_{n-2}$. Prove that $c_n = 2^{F_n}$ for every positive integer n.
 - (r) Prove that a and b are relatively prime if and only if a^2 and b^2 are relatively prime.